800 liter tank i Rostfritt 304



19 000 SEK /st exkl moms

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Article type: second-hand transport tank
Volumetric volume (L): 800 L
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: dished
Shape of tank: cylindrical

Bottom type: conical
Total discharge: yes
Fixation points: 4 stackable frame
Manway(s): RVS 304
Gasket manway(s): unknown

Valve: RVS 304
Gasket shut-off valve (mat): unknown
Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1
Position of manway: at the top

Height manhole 1 (mm): 385 mm
Tank outlet: inside Ø 50 mm
Outlet type: DIN11851 male
Total outlet valve: yes
Distance from outlet to ground: 280 mm

Outer diameter tank: 1.050 mm
Cylinder height: 880 mm
Total height of tank: 1.730 mm

Empty weight tank: 170

SKU: 387587

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Konfiguration: single-skin
Mobil tank: Nej
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Yes
Typ av botten: conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 800

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN11851 male
Utloppsventil: Ja

Översikt material
Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank
Cylinderhöjd: 880 mm
Mått utlopp till marken: 280 mm
Total höjd: 1.730 mm
Ytterdiameter: 1.050 mm

Mer
Isolerad: Nej
Vikt: 170

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se