800 liter tank i Rostfritt 304



51 000 SEK /st exkl moms

Additional information: Pharmacy; 4-legged frame, Aisi 304; tank lid with folding segment (slightly warped; therefore not currently screwed)
Volumetric volume (L): 800 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 99 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no

Top type: open
Total discharge: yes
Volume: 51 L
Max Overpressure: 3 Bar
Max. working temperature: 143 °C

Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Outlet of tank: DN50 DIN 11851
Internal diameter tank: 990 mm
Outer diameter tank: 1.090 mm
Cylinder height: 750 mm

Total height of tank: 1.620 mm
Empty weight tank: 650

SKU: 483468

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated with heat-exchanger
Max. arbetstemperatur: 99 °C
Mobil tank: Nej
Övrig information: Pharmacy; 4-legged frame, Aisi 304; tank lid with folding segment (slightly warped; therefore not currently screwed); we can't give any guarantees about the heating/cooling jacket
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 800

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 750 mm
Invändig diameter: 990 mm
Total höjd: 1.620 mm
Ytterdiameter: 1.090 mm

Mer
Isolerad: Ja
Vikt: 650