

800 liter tank i Rostfritt 304



15 000 SEK /st exkl moms

Additional information: food industry; minor dents and slight adhesions possible; Manhole is fastened with a clamping ring; various connection designs in the upper bottom; some residues of previous content; traces of usage

Volumetric volume (L): 800 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar

Max. temperature (°C): 120 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.000 mm

Cylinder height: 700 mm

Total height of tank: 1.590 mm

Empty weight tank: 125

SKU: 459779

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 120 °C

Mobil tank: Nej

Övrig information: food industry; minor dents and slight adhesions possible; Manhole is fastened with a clamping ring; various connection designs in the upper bottom; some residues of previous content;traces of usage

Omrörare: Nej

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 800

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 700 mm

Invändig diameter: 1.000 mm

Total höjd: 1.590 mm

Mer

Isolerad: Nej

Vikt: 118