800 liter tank i Rostfritt 304



15 000 SEK /st exkl moms

Additional information: food industry; Small dents and some residues of previous content may occur; the manhole is secured with a clamping ring; various connection options are available in the upper bottom; some residues of previous content; traces of usage
Volumetric volume (L): 800 L
Pressure in tank: pressure

Max. pressure (Bar): 1 Bar
Min. pressure (Bar): 1 Bar

Max. temperature (°C): 120 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside
Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.000 mm

Cylinder height: 700 mm
Total height of tank: 1.590 mm
Empty weight tank: 125

SKU: 459779

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Max. arbetstemperatur: 120 °C
Mobil tank: Nej
Övrig information: food industry; minor dents and slight adhesions possible; Manhole is fastened with a clamping ring; various connection designs in the upper bottom; some residues of previous content;traces of usage
Övrig information2: of previous content;traces of usage
Omrörare: Nej
Övertryck: 1 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 800

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 700 mm
Invändig diameter: 1.000 mm
Total höjd: 1.590 mm

Mer
Isolerad: Nej
Vikt: 118