

800 liter tank i Rostfritt 304



19 000 SEK /st exkl moms

Additional information: 4-leg frame made of stainless steel 304; some containers have minor dents (a few containers have stronger dents); screw connections on the manhole covers are occasionally incomplete; the tapered bottom makes it ideally suited even for higher-viscosity media; traces of usage

Volumetric volume (L): 800 L

Pressure in tank: pressure



Max. pressure (Bar): 1 Bar

Min. pressure (Bar): 1 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN65 DIN 11851

Cylinder: 2 mm

Internal diameter tank: 1.000 mm

Cylinder height: 660 mm

Total height of tank: 1.850 mm

Empty weight tank: 125

SKU: 708973

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 4-leg frame made of stainless steel 304; some containers have minor dents (a few containers have stronger dents); screw connections on the manhole covers are occasionally incomplete; the tapered

Övrig information2: bottom makes it ideally suited even for higher-viscosity media; traces of usage

Omrörare: Nej

Övertryck: 1 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 800

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 660 mm

Invändig diameter: 1.000 mm

Total höjd: 1.850 mm



Tjocklek på tank

Cylinder: 2 mm

Mer

Isolerad: Nej

Vikt: 125