800 liter tank i Rostfritt 304



18 000 SEK /st exkl moms

Additional information: 4-leg frame made of stainless steel 304; some containers have minor dents (a few containers have stronger dents); screw connections on the manhole covers are occasionally incomplete; the tapered bottom makes it ideally suited even for higher-viscosity media; traces of usage
Volumetric volume (L): 800 L
Pressure in tank: pressure

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. pressure (Bar): 1 Bar
Min. pressure (Bar): 1 Bar

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: headside
Outlet of tank: DN65 DIN 11851
Cylinder: 2 mm
Internal diameter tank: 1.000 mm

Cylinder height: 660 mm
Total height of tank: 1.850 mm
Empty weight tank: 125

SKU: 708973

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: 4-leg frame made of stainless steel 304; some containers have minor dents (a few containers have stronger dents); screw connections on the manhole covers are occasionally incomplete; the tapered
Övrig information2: bottom makes it ideally suited even for higher-viscosity media; traces of usage
Omrörare: Nej
Övertryck: 1 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 800

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 660 mm
Invändig diameter: 1.000 mm
Total höjd: 1.850 mm

Tjocklek på tank
Cylinder: 2 mm

Mer
Isolerad: Nej
Vikt: 125