

800 liter tank i Syrafast 316



18 000 SEK /st exkl moms

Additional information: Pharmacy; Diameter of manhole approx. 385 mm; slight differences in design; 1 container with a type plate (hard to read) and with outlet, pipe diameter inside approx. 35 mm (this container has a smaller dent in the cylinder/lower bottom transition)

Volumetric volume (L): 800 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: 48
Internal diameter tank: 1.190 mm
Cylinder height: 550 mm
Total height of tank: 1.680 mm

SKU: 476566

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfERIC

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Diameter of manhole approx. 385 mm; slight differences in design; 1 container with a type plate (hard to read) and with outlet, pipe diameter inside approx. 35 mm (this container has a

Övrig information2: smaller dent in the cylinder/lower bottom transition)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 800

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 550 mm

Invändig diameter: 1.190 mm

Total höjd: 1.680 mm

Mer

Isolerad: Nej

