

8000 liter tank i Rostfritt 304



114,000 SEK /st exkl moms

Additional information: Manhole diameter (cylinder): approx. 420 x 320 mm; 2 thermoplates in the cylinder area

Volumetric volume (L): 8.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 6 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.800 mm

Cylinder height: 2.976 mm

Total height of tank: 3.925 mm

SKU: 490506

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Manhole diameter (cylinder): approx. 420 x 320 mm; 2 thermoplates in the cylinder area

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 8000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.976 mm

Invändig diameter: 1.800 mm

Total höjd: 3.925 mm

Mer

Isolerad: Nej