

8000 liter tank i Rostfritt 304



125 000 SEK /st exkl moms

Additional information: Dairy; Minor dents in the iso jacket; some small cracks in the weld seams of the feet (see photos); 1 vessel with type plate (the outlet of this vessel has been cut off)

Volumetric volume (L): 8.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 65

Agitator: yes

Number of revolutions: 42

Power: 2,20

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.100 mm

Cylinder height: 2.500 mm

Total height of tank: 4.550 mm

SKU: 266770

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; Minor dents in the iso jacket; some small cracks in the weld seams of the feet (see photos); 1 vessel with type plate (the outlet of this vessel has been cut off); we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 8000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 2.000 mm

Total höjd: 4.550 mm

Ytterdiameter: 2.100 mm

Omrörare

Kraft (kW): 2,20

Varvtal: 42

Mer

Isolerad: Ja