

8000 liter tank i Rostfritt 304



99,000,00 kr /st exkl moms

Additional information: 3 support brackets, Aisi 304; some residues of previous content

Volumetric volume (L): 8.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN100

Agitator: yes

Number of revolutions: 61

Power: 22

Top: 8 mm

Cylinder: 6 mm

Bottom: 6 mm

Internal diameter tank: 2.100 mm

Cylinder height: 2.500 mm

Total height of tank: 5.500 mm

SKU: 268639

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 3 support brackets, Aisi 304; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 8000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 2.100 mm

Total höjd: 5.500 mm

Omrörare

Kraft (kW): 22

Varvtal: 61

Tjocklek på tank

Botten: 6 mm

Cylinder: 6 mm

Topp: 8 mm

Mer

Isolerad: Nej