

## 8000 liter tank i Rostfritt 304



**68,000,00 kr /st exkl moms**

**Additional information:** blowing agent tank in an adhesive factory; 1 manhole diameter 500 mm on the tank, 1 manhole diameter 600 mm in one of the bottoms

**Volumetric volume (L):** 8.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** yes

**Outlet of tank:** flange DN65

**Cylinder:** 2,40 mm

**Bottom:** 2,40 mm

**Internal diameter tank:** 1.940 mm

**Total height of tank:** 2.300 mm

**Total outer length:** 3.300 mm

**SKU:** 269875

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: blowing agent tank in an adhesive factory; 1 manhole diameter 500 mm on the tank, 1 manhole diameter 600 mm in one of the bottoms

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 8000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 1.940 mm

Total höjd: 2.300 mm

## Tjocklek på tank

Botten: 2,40 mm

Cylinder: 2,40 mm

**Mer**

Isolerad: Nej

---