8000 liter tank i Rostfritt 304



69 000 SEK /st exkl moms

Additional information: chemistry; manhole 320 x 420 mm; motor-/gear is missing
Volumetric volume (L): 8.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 75
Agitator: yes
Internal diameter tank: 1.850 mm
Cylinder height: 3.000 mm
Total height of tank: 4.050 mm

SKU: 394703

Mer information

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: chemistry; manhole 320 x 420 mm; motor-/gear is missing; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 8000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm
Invändig diameter: 1.850 mm
Total höjd: 4.050 mm

Mer

Isolerad: Nej