

## 8000 liter tank i Syrafast 316



**55 000 SEK /st exkl moms**

**Additional information:** Food; Feet were cut off during disassembly and are enclosed loose; several former connections were welded shut by the previous operator; some residues of previous content

**Volumetric volume (L):** 8.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 82

**Power:** 4

**Internal diameter tank:** 2.190 mm

**Cylinder height:** 2.000 mm

**Total height of tank:** 4.500 mm

**SKU:** 563791

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Food; Feet were cut off during disassembly and are enclosed loose; several former connections were welded shut by the previous operator; some residues of previous content; we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 8000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 2.190 mm

Total höjd: 4.500 mm

## Omrörare

Kraft (kW): 4

Varvtal: 82

**Mer**

Isolerad: Nej

---