

## 80000 liter tank i Rostfritt 304



## 308,000,00 kr /st exkl moms

**Additional information:** Yoghurt tank in a dairy; Double chamber tank (2 x 40,000 liters); cylinder height 2 x 4600 mm; Manhole approx. 410 x 510 mm; upper tank in the upper bottom leaking; Ready for collection from around the end of July

**Volumetric volume (L):** 80.000 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 0,20 Bar

**Min. pressure (Bar):** 0,50 Bar

**Max. temperature (°C):** 50 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 80

**Agitator:** yes

**Internal diameter tank:** 3.200 mm

**Outer diameter tank:** 3.300 mm

**SKU:** 433625

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Yoghurt tank in a dairy; Double chamber tank (2 x 40,000 liters); cylinder height 2 x 4600 mm; Manhole approx. 410 x 510 mm; upper tank in the upper bottom leaking; Ready for collection from around

Övrig information2: the end of July; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,20 Bar

Total urtappning: Ja

Undertryck (vakuum): 0,50 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 80000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

**Dimensioner av tank**

Invändig diameter: 3.200 mm

Ytterdiameter: 3.300 mm

**Mer**

Isolerad: Ja