80000 liter tank i Rostfritt 304



PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

304 000 SEK /st exkl moms

Additional information: Yoghurt tank in a dairy; Double-chamber tank (2 x 40,000 liters); cylinder height 2 x 4600 mm; manhole approx. 410 x 510 mm; upper bottom of tank leaking in one place
Volumetric volume (L): 80.000 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 0,20 Bar
Min. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: insulated
Heat exchanger: no

Insulation: yes
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside
Outlet of tank: 80
Agitator: yes

Internal diameter tank: 3.200 mm
Outer diameter tank: 3.300 mm

SKU: 433625

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: insulated
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Övrig information: Yoghurt tank in a dairy; Double chamber tank (2 x 40,000 liters); cylinder height 2 x 4600 mm; Manhole approx. 410 x 510 mm; upper tank in the upper bottom leaking; Ready for collection from around
Övrig information2: the end of July; we can’t give any guarantees about the agitator
Omrörare: Ja
Övertryck: 0,20 Bar
Total urtappning: Ja
Undertryck (vakuum): 0,50 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 80000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank
Invändig diameter: 3.200 mm
Ytterdiameter: 3.300 mm

Mer
Isolerad: Ja