

80000 liter tank i Rostfritt 304



435 000 SEK /st exkl moms

Additional information: 6 cooling plates inside (see pictures)

Volumetric volume (L): 80.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 70 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN65 DIN 11851

Agitator: yes

Number of revolutions: 935

Power: 3

Internal diameter tank: 3.950 mm

Cylinder height: 5.500 mm

Total height of tank: 7.600 mm

SKU: 707425

Mer information



Beskrivning av produkt

Material: Rustfritt stål 304

Modell: Vertikal

Nyttillverkad/Begagnad: Brukt

Arbetsstryck i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Max. arbetstemperatur: 70 °C

Mobil tank: Nei, det er det ikke.

Övrig information: 6 cooling plates inside (see pictures); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nei, det er det ikke.

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 80000

Utrustning

Dokument finns: Nei, det er det ikke.

Fläns för omrörare: Nei

Märkskylt: Ja

Teknisk ritning finns: Nei, det er det ikke.

Översikt material

Material: Rustfritt stål 304

Dimensioner av tank

Cylinderhöjd: 5 500 mm

Invändig diameter: 3.950 mm

Total höjd: 7 600 mm

Omrörare

Kraft (kW): 3

Varvtal: 935

Mer

Isolerad: Nei