

810 liter tank i Rostfritt 304



64,000,00 kr /st exkl moms

Additional information: Food; Closure of the manhole cover has been modified from the previous one; the top of 1 tank is slightly dented

Volumetric volume (L): 810 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 13 L

Max Overpressure: 2 Bar

Max. working temperature: 80 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 98

Power: 1,10

Internal diameter tank: 980 mm

Outer diameter tank: 1.080 mm

Cylinder height: 1.000 mm

Total height of tank: 2.620 mm

SKU: 489835

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Food; Closure of the manhole cover has been modified from the previous one; the top of 1 tank is slightly dented; we can't give any guarantees about the heating/cooling jacket; we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 810

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 980 mm

Total höjd: 2.620 mm

Ytterdiameter: 1.080 mm

Omrörare

Kraft (kW): 1,10

Varvtal: 98

Mer

Isolerad: Ja