

820 liter tank i Syrafast 316



97 000 SEK /st exkl moms

Additional information: Pharmacy

Volumetric volume (L): 820 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 160 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 3 Bar

Max onderdruk: 1 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN32 DIN 11851

Agitator: yes

Number of revolutions: 149 - 1040

Power: 0,37

Top: 4,70 mm

Cylinder: 4 mm

Bottom: 2,70 mm

Internal diameter tank: 1.000 mm

Cylinder height: 750 mm

Total height of tank: 2.320 mm

SKU: 280456

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 160 °C

Mobil tank: Nej

Övrig information: pharmacy; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 820

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 750 mm

Invändig diameter: 1.000 mm

Total höjd: 2.320 mm

Omrörare

Kraft (kW): 0,37

Varvtal: 149 – 1040

Tjocklek på tank

Botten: 2,70 mm

Cylinder: 4 mm

Topp: 4,70 mm

Mer

Isolerad: Nej