

## 8300 liter tank i Rostfritt 304



**155,000,00 kr /st exkl moms**

**Additional information:** Herbal pharmacy; Durchmesser Mannloch 510 mm; some residues of previous content; manhole cover is missing

**Volumetric volume (L):** 8.300 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 1,96 Bar

**Min. pressure (Bar):** 0,83 Bar

**Max. temperature (°C):** 50 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 770 L

**Max. working temperature:** 80 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 53

**Agitator:** yes

**Number of revolutions:** 489

**Power:** 2,50

**Internal diameter tank:** 1.980 mm

**Outer diameter tank:** 2.250 mm

**Cylinder height:** 2.250 mm

**Total height of tank:** 4.500 mm

**SKU:** 312430

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Herbal pharmacy; Durchmesser Mannloch 510 mm; some residues of previous content; manhole cover is missing; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees

Övrig information2: about the agitator

Omrörare: Ja

Övertryck: 1,96 Bar

Total urtappning: Ja

Undertryck (vakuum): 0,83 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 8300

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304



## Dimensioner av tank

Cylinderhöjd: 2.250 mm  
Invändig diameter: 1.980 mm  
Total höjd: 4.500 mm  
Ytterdiameter: 2.250 mm

## Omrörare

Kraft (kW): 2,50  
Varvtal: 489

## Mer

Isolerad: Ja