

## 8380 liter tank i Syrafast 316



**118,000,00 kr /st exkl moms**

**Additional information:** Pharmaceutical Chemistry; External heating cables without controls; 3 support brackets, Aisi 304 (1 support bracket was cut off during disassembly and is enclosed loose); more technical documents available; manhole cover plated

**Volumetric volume (L):** 8.380 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 2 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** horizontal

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 95

**Top:** 8,80 mm

**Cylinder:** 7 mm

**Bottom:** 5,90 mm

**Internal diameter tank:** 1.200 mm

**Cylinder height:** 2.120 mm

**Total height of tank:** 3.300 mm

**SKU:** 295844

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; External heating cables without controls; 3 support brackets, Aisi 304 (1 support bracket was cut off during disassembly and is enclosed loose); more technical documents

Övrig information2: available ; manhole cover plated

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 8380

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 2.120 mm  
Invändig diameter: 1.200 mm  
Total höjd: 3.300 mm

## Tjocklek på tank

Botten: 5,90 mm  
Cylinder: 7 mm  
Topp: 8,80 mm

## Mer

Isolerad: Nej