8380 liter tank i Syrafast 316



118 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; External heating cable without control; 3 claws, stainless steel 304 (1 claw was cut off during disassembly and is enclosed loose); further technical documentation available; manhole cover plated
Volumetric volume (L): 8.380 L
Pressure in tank: pressure and vacuum

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. pressure (Bar): 2 Bar
Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: horizontal
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside
Outlet of tank: 95
Top: 8,80 mm

Cylinder: 7 mm
Bottom: 5,90 mm
Internal diameter tank: 1.200 mm
Cylinder height: 2.120 mm
Total height of tank: 3.300 mm

SKU: 418112

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single jacketed with heat-exchanger
Max. arbetstemperatur: 200 °C
Mobil tank: Nej
Övrig information: Pharmaceutical Chemistry; External heating cables without controls; 3 support brackets, Aisi 304 (1 support bracket was cut off during disassembly and is enclosed loose); more technical documents
Övrig information2: available ; manhole cover plated
Omrörare: Nej
Övertryck: 2 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 8380

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 2.120 mm
Invändig diameter: 1.200 mm
Total höjd: 3.300 mm

Tjocklek på tank
Botten: 5,90 mm
Cylinder: 7 mm
Topp: 8,80 mm

Mer
Isolerad: Nej

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se