

8380 liter tank i Syrafast 316



118 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; External heating cable without control; 3 claws, stainless steel 304 (1 claw was cut off during disassembly and is enclosed loose); further technical documentation available; manhole cover plated

Volumetric volume (L): 8.380 L

Pressure in tank: vacuum

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 95

Top: 8,80 mm

Cylinder: 7 mm

Bottom: 5,90 mm

Internal diameter tank: 1.200 mm

Cylinder height: 2.120 mm

Total height of tank: 3.300 mm

SKU: 295844

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; External heating cables without controls; 3 support brackets, Aisi 304 (1 support bracket was cut off during disassembly and is enclosed loose); more technical documents

Övrig information2: available ; manhole cover plated

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 8380

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 2.120 mm
Invändig diameter: 1.200 mm
Total höjd: 3.300 mm

Tjocklek på tank

Botten: 5,90 mm
Cylinder: 7 mm
Topp: 8,80 mm

Mer

Isolerad: Nej