

850 liter tank i Rostfritt 304



36 000 SEK /st exkl moms

Additional information: Vessel on frame remnant made of Fe; fastening of manhole cover incomplete; some residues of previous content; bump at the insulation jacket

Volumetric volume (L): 850 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Agitator: yes

Number of revolutions: 493 - 993

Power: 1.5 / 2.2

Internal diameter tank: 1.090 mm

Outer diameter tank: 1.280 mm

Cylinder height: 830 mm

Total height of tank: 1.830 mm

SKU: 278176

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Tank on frame rest made of Fe; Fastening of the manhole cover incomplete ; some residues of previous content;bump at the insulation jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 850

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 830 mm

Invändig diameter: 1.090 mm

Total höjd: 1.830 mm

Ytterdiameter: 1.280 mm

Omrörare

Kraft (kW): 1.5 / 2.2

Varvtal: 493 – 993

Mer

Isolerad: Ja
