

8500 liter tank i Rostfritt 304



132 000 SEK /st exkl moms

Volumetric volume (L): 8.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Top: 3 mm

Cylinder: 3 mm

Bottom: 3 mm

Outer diameter tank: 2.000 mm

Cylinder height: 2.500 mm

Total height of tank: 5.000 mm

Empty weight tank: 1.000

SKU: 706312

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 8500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.500 mm

Total höjd: 5.000 mm

Ytterdiameter: 2.000 mm

Tjocklek på tank

Botten: 3 mm

Cylinder: 3 mm

Topp: 3 mm



Mer

Isolerad: Nej

Vikt: 1.000