

8550 liter tank i Syrafast 316



262,000,00 kr /st exkl moms

Additional information: Pharmaceutical Chemistry; Support brackets made of Fe; flanges partly made of Fe

Volumetric volume (L): 8.550 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,20 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 160 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 200 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN150

Agitator: yes

Number of revolutions: 8.5 - 51

Power: 15

Top: 10 mm

Cylinder: 8 mm

Bottom: 8 mm

Internal diameter tank: 2.000 mm

Cylinder height: 2.200 mm

Total height of tank: 5.200 mm

Empty weight tank: 1.200

SKU: 487136

Mer information

Beskrivning av produkt

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; Support brackets made of Fe; flanges partly made of Fe; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 3,20 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Volym i liter: 8550

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Dimensioner av tank

Cylinderhöjd: 2.200 mm

Invändig diameter: 2.000 mm

Total höjd: 5.200 mm

Omrörare

Kraft (kW): 15

Varvtal: 8.5 - 51

Tjocklek på tank

Botten: 8 mm

Cylinder: 8 mm

Topp: 10 mm

Mer

Isolerad: Nej

Vikt: 1.200