

## 8609 liter tank i Syrafast 316



**183 000 SEK /st exkl moms**

**Additional information:** Chemistry; Support ring made of Fe; manhole diameter approx. 480 mm; vessel inside with corrosion (see photos); total height incl. agitator gearbox (without gearbox approx. 3400 mm); ; motor is missing; manhole cover is missing

**Volumetric volume (L):** 8.609 L

**Pressure in tank:** vacuum

**Max. pressure (Bar):** 6 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 313 L

**Max Overpressure:** 20 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 220 °C

**Type HE on the bottom:** half pipe welded onto the outside of the innertank

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 100

**Agitator:** yes

**Number of revolutions:** 52 / 104

**Top:** 14 mm

**Cylinder:** 8 mm

**Bottom:** 10 mm

**Internal diameter tank:** 2.000 mm

**Cylinder height:** 2.190 mm

**Total height of tank:** 4.950 mm

**SKU:** 299662

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Chemistry; Support ring, Fe; Manhole diameter appr. 480 mm; vessel with corrosion on the inside (see photos); Total height including agitator gear (without gear approx. 3400 mm); ; motor is

Övrig information2: missing;manhole cover is missing; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 6 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 8609

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej



## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 2.190 mm

Invändig diameter: 2.000 mm

Total höjd: 4.950 mm

## Omrörare

Varvtal: 52 / 104

## Tjocklek på tank

Botten: 10 mm

Cylinder: 8 mm

Topp: 14 mm

## Mer

Isolerad: Nej