

## 880 liter tank i Syrafast 316



**89,000,00 kr /st exkl moms**

**Additional information:** Pharmaceutical Chemistry; Half-coil, Aisi 304 around the lower cylinder area and the lower bottom; 3 feet, Fe screwed to 3 support brackets, st. st.; handhole cover is missing

**Volumetric volume (L):** 880 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3,20 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 10 L

**Max Overpressure:** 16 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 200 °C

**Type HE on the bottom:** half pipe welded onto the outside of the innertank

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 50

**Top:** 5,50 mm

**Cylinder:** 6 mm

**Bottom:** 4,70 mm

**Internal diameter tank:** 1.000 mm

**Outer diameter tank:** 1.190 mm

**Cylinder height:** 810 mm

**Total height of tank:** 2.100 mm

**SKU:** 285139

---

Mer information

---