

## 90 liter tank i Syrafast 316



**48 000 SEK /st exkl moms**

**Additional information:** Liquid soap; Type plate largely illegible; vessel in the photo is the smaller, right-hand tank at the previous operator; vessel was part of a process plant (the larger tank in the photo is also available under order no. 9786 (subject to sale elsewhere))

**Volumetric volume (L):** 90 L

**Pressure in tank:** ATM - atmosferic  
**Max. temperature (°C):** 150 °C  
**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical  
**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no

**Top type:** open  
**Total discharge:** yes  
**Max Overpressure:** 6 Bar  
**Max. working temperature:** 150 °C  
**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no

**Outlet of tank:** 38  
**Agitator:** yes  
**Number of revolutions:** 34  
**Power:** 1,10  
**Cylinder:** 5 mm

**Bottom:** 4 mm  
**Internal diameter tank:** 500 mm  
**Outer diameter tank:** 650 mm  
**Cylinder height:** 820 mm  
**Total height of tank:** 2.800 mm

**SKU:** 479148

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Liquid soap; tank is the smaller, right tank in the photo of the previous operator; tank was part of a process plant (the larger tank in the photo is also available under order number 9786 (subject

Övrig information2: to sale elsewhere); we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 90

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 820 mm  
Invändig diameter: 500 mm  
Total höjd: 2.800 mm  
Ytterdiameter: 650 mm

## Omrörare

Kraft (kW): 1,10  
Varvtal: 34

## Tjocklek på tank

Botten: 4 mm  
Cylinder: 5 mm

## Mer

Isolerad: Ja