

## 900 liter tank i Rostfritt 304



**70 000 SEK /st exkl moms**

**Additional information:** Dairy; Manhole diameter approx. 415 mm; dents at the insulation jacket

**Volumetric volume (L):** 900 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** DN50 DIN 11851

**Agitator:** yes

**Power:** 0,37

**Internal diameter tank:** 900 mm

**Outer diameter tank:** 1.020 mm

**Cylinder height:** 1.400 mm

**Total height of tank:** 3.050 mm

**SKU:** 297314

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Dairy; Diameter manhole appr. 415 mm; dents at the insulation jacket; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 900

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.400 mm

Invändig diameter: 900 mm

Total höjd: 3.050 mm

Ytterdiameter: 1.020 mm

## Omrörare

Kraft (kW): 0,37

**Mer**

Isolerad: Ja

---