900 liter tank i Rostfritt 304



70 000 SEK /st exkl moms

Additional information: Manhole diameter approx. 415 mm; dents at the insulation jacket
Volumetric volume (L): 900 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Outlet of tank: DN50 DIN 11851
Agitator: yes
Power: 0,37
Internal diameter tank: 900 mm

Outer diameter tank: 1.020 mm
Cylinder height: 1.400 mm
Total height of tank: 3.050 mm

SKU: 419147

Mer information

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: isolert med varmeveksler
Mobil tank: Nej
Övrig information: Dairy; Diameter manhole appr. 415 mm; dents at the insulation jacket; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 900

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.400 mm
Invändig diameter: 900 mm
Total höjd: 3.050 mm
Ytterdiameter: 1.020 mm

Omrörare

Kraft (kW): 0,37

Mer
Isolerad: Ja