

900 liter tank i Rostfritt 304



63 000 SEK /st exkl moms

Additional information: Dairy; Dents in the lower bottom of the inner tank (overpressure double jacket); 2 feet slightly bent; slight metallic discoloration inside the tank

Volumetric volume (L): 900 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 400

Power: 0,37

Internal diameter tank: 950 mm

Outer diameter tank: 1.100 mm

Cylinder height: 1.280 mm

Total height of tank: 2.700 mm

SKU: 300494

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Dairy; Dents in the lower bottom of the inner tank (overpressure double jacket); 2 feet slightly bent; slight metallic discoloration inside the tank; we can't give any guarantees about the

Övrig information2: heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 900

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.280 mm

Invändig diameter: 950 mm

Total höjd: 2.700 mm

Ytterdiameter: 1.100 mm

Omrörare

Kraft (kW): 0,37

Varvtal: 400

Mer

Isolerad: Ja