

900 liter tank i Syrafast 316



42,000,00 kr /st exkl moms

Additional information: No insulation around the lower bottom; Outlet valve defective; some residues of previous content; dents at the insulation jacket

Volumetric volume (L): 900 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 75

Agitator: yes

Power: 1,10

Internal diameter tank: 1.400 mm

Outer diameter tank: 1.600 mm

Cylinder height: 600 mm

Total height of tank: 1.950 mm

SKU: 279631

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: No insulation around the lower bottom; Outlet valve defective; some residues of previous content; dents at the insulation jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 900

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 600 mm

Invändig diameter: 1.400 mm

Total höjd: 1.950 mm

Ytterdiameter: 1.600 mm

Omrörare

Kraft (kW): 1,10

Mer

Isolerad: Ja
