900 liter tank i Syrafast 316



26 000 SEK /st exkl moms

Additional information: Height-adjustable dome screws of the feet are partially missing (would have to be retrofitted on site for installation, as otherwise the outlet would be lower than the feet); tanks inside partially with metallic discoloration; 2 tanks with dent in the cylinder/upper bottom transition (see photos)
Volumetric volume (L): 900 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 35

Internal diameter tank: 890 mm
Cylinder height: 1.460 mm
Total height of tank: 2.100 mm

SKU: 426986

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Brewery; Height-adjustable screws of the feet are partially missing (they would have to be retrofitted on site for installation, otherwise the outlet would be lower than the feet); Tanks inside
Övrig information2: partly with metallic discoloration; 2 tanks with dents in the cylinder/upper bottom transition (see photos)
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 900

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.460 mm
Invändig diameter: 890 mm
Total höjd: 2.100 mm

Mer
Isolerad: Nej