900 liter tank i Syrafast 316



44 000 SEK /st exkl moms

Additional information: Pharmacy; Hand hole NW 250; 1 small dent in one of the feet (see photos); some residues of previous content
Volumetric volume (L): 900 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3,20 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Min. pressure (Bar): 1 Bar

Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: no
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Cylinder: 4 mm
Bottom: 4 mm
Internal diameter tank: 1.000 mm
Cylinder height: 880 mm

Total height of tank: 2.700 mm

SKU: 571571

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Pharmacy; Hand hole NW 250; 1 small dent in one of the feet (see photos); some residues of previous content
Omrörare: Nej
Övertryck: 3,20 Bar
Total urtappning: Nej
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 900

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 880 mm
Invändig diameter: 1.000 mm
Total höjd: 2.700 mm

Tjocklek på tank
Botten: 4 mm
Cylinder: 4 mm

Mer
Isolerad: Nej