

## 9200 liter tank i Syrafast 316



**148 000 SEK /st exkl moms**

**Additional information:** Cip tank (lye) in the cosmetics industry; 1 fitting flanged to the outlet; Metallic discolouration inside

**Volumetric volume (L):** 9.200 L

**Pressure in tank:** ATM - atmospheric

**Max. temperature (°C):** 80 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** flange DN80

**Agitator:** yes

**Internal diameter tank:** 2.300 mm

**Outer diameter tank:** 2.400 mm

**Cylinder height:** 2.000 mm

**Total height of tank:** 3.200 mm

**Empty weight tank:** 1.000

**SKU:** 310151

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Cip tank (lye) in the cosmetics industry; 1 fitting flanged to the outlet; Metallic discolouration inside; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 9200

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 2.300 mm

Total höjd: 3.200 mm

Ytterdiameter: 2.400 mm

**Mer**

Isolerad: Ja

Vikt: 1.000

---