

950 liter tank i Rostfritt 304



67,000,00 kr /st exkl moms

Additional information: Cosmetics; Manhole diameter approx. 415 mm; outlet diameter approx. 40 mm; 1 tank with stronger adhesios inside; some residues of previous content

Volumetric volume (L): 950 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 120 L

Max. working temperature: 95 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Internal diameter tank: 1.190 mm

Outer diameter tank: 1.350 mm

Total height of tank: 1.800 mm

Empty weight tank: 530

SKU: 310091

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Cosmetics; Manhole diameter approx. 415 mm; outlet diameter approx. 40 mm; 1 tank with stronger adhesios inside; some residues of previous content; we can't give any guarantees about the

Övrig information2: heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 950

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.190 mm

Total höjd: 1.800 mm

Ytterdiameter: 1.350 mm

Mer

Värmeväxlare: RVS 304

Isolerad: Ja

Vikt: 530