

9500 liter tank i Rostfritt 304



79 000 SEK /st exkl moms

Additional information: Molkerei; 2 Behälter innen im unteren Boden mit eingeschweißtem Blech; pipe end cut flush

Volumetric volume (L): 9.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: pipe end \emptyset appr. 65mm

Agitator: yes

Number of revolutions: 240 / 480

Power: 0.5 / 2.2

Internal diameter tank: 2.450 mm

Cylinder height: 1.830 mm

Total height of tank: 3.650 mm

SKU: 285962

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Molkerei; 2 Behälter innen im unteren Boden mit eingeschweißtem Blech; pipe end cut flush; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 9500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.830 mm

Invändig diameter: 2.450 mm

Total höjd: 3.650 mm

Omrörare

Kraft (kW): 0.5 / 2.2

Varvtal: 240 / 480

Mer

Isolerad: Nej
