

956 liter tank i Syrafast 316



220,000,00 kr /st exkl moms

Additional information: Pharmacy; Technical documentation (also for the agitator) available for one of the two vessels

Volumetric volume (L): 956 L

Pressure in tank: vacuum

Min. pressure (Bar): 0,50 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 83 L

Max Overpressure: 1,50 Bar

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 25

Agitator: yes

Number of revolutions: 24 - 247

Cylinder: 5 mm

Bottom: 5 mm

Internal diameter tank: 1.000 mm

Outer diameter tank: 1.050 mm

Cylinder height: 950 mm

Total height of tank: 2.000 mm

SKU: 489937

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: vacuum

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Pharmacy; Technical documentation (also for the agitator) available for one of the two vessels; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Undertryck (vakuum): 0,50 Bar

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 956

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 950 mm

Invändig diameter: 1.000 mm

Total höjd: 2.000 mm

Ytterdiameter: 1.050 mm

Omrörare

Varvtal: 24 - 247

Tjocklek på tank

Botten: 5 mm

Cylinder: 5 mm

Mer

Isolerad: Nej