

## 956 liter tank i Syrafast 316



**218 000 SEK /st exkl moms**

**Additional information:** Pharmacy; Technical documentation (also for the agitator) available for one of the two vessels

**Volumetric volume (L):** 956 L

**Pressure in tank:** vacuum

**Min. pressure (Bar):** 0,50 Bar  
**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical  
**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no

**Total discharge:** yes  
**Volume:** 83 L  
**Max Overpressure:** 1,50 Bar  
**Type HE on the bottom:** heating/cooling jacket  
**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Outlet of tank:** 25

**Agitator:** yes  
**Number of revolutions:** 24 - 247  
**Cylinder:** 5 mm  
**Bottom:** 5 mm  
**Internal diameter tank:** 1.000 mm

**Outer diameter tank:** 1.050 mm  
**Cylinder height:** 950 mm  
**Total height of tank:** 2.000 mm

**SKU:** 489937

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: vacuum

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Pharmacy; Technical documentation (also for the agitator) available for one of the two vessels; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Undertryck (vakuum): 0,50 Bar

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 956

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Cylinderhöjd: 950 mm

Invändig diameter: 1.000 mm

Total höjd: 2.000 mm

Ytterdiameter: 1.050 mm

**Omrörare**

Varvtal: 24 - 247

**Tjocklek på tank**

Botten: 5 mm

Cylinder: 5 mm

**Mer**

Isolerad: Nej