

995 liter tank i Rostfritt 304



49,000,00 kr /st exkl moms

item available on order

Article type: brand new palletized transporttank (for ADR) - type IBC-PL0

Additional information: The standardised PLO IBC containers which we offer from our stock are not applicable for food use!

Volumetric volume (L): 995 L

Max. density P (kg/m³): 1.900

Pressure in tank: pressure

Max. pressure (Bar): 0,49 Bar

Min. pressure (Bar): 0,02 Bar
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: yes
Top type: dished
Shape of tank: conical

Bottom type: flat sloping
Total discharge: yes
Fixation points: 4 stackable frame
Manway(s): RVS 304
Gasket manway(s): EPDM

Fixation point(s): galvanised steel
Suitable for food industry: yes
Documents included: yes, optional
Technical drawing included: yes
Registration plate on the tank: yes

Flange for agitator: no
Number of manways: 1
Position of manway: at the top
Height manhole 1 (mm): 400 mm
Hinged lid: yes

CIP spray ball: no
Tank outlet: inside Ø 50 mm
Outlet type: BSP MALE
Total outlet valve: yes
Agitator: no, optional

Top: 1,50 mm
Cylinder: 1,50 mm
Bottom: 1,50 mm
Outer diameter tank: 1.080 mm

Cylinder height: 970 mm

Height of top: 175 mm

Height of bottom: 240 mm

Feet height: 90 mm

Total height of tank: 1.445 mm

Total outer width: 1.121 mm

Total outer length: 1.121 mm

Empty weight tank: 150

SKU: 43007

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Maximal densitet för produkten: 1900

Mobil tank: Ja

Övrig information: The standardised PLO IBC containers which we offer from our stock are not applicable for food use!

Omrörare: Nej

Övertryck: 0,49 Bar

Tankens form: conical

Total urtappning: Ja

Typ av botten: flat sloping

Undertryck (vakuum): 0,02 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 995

Utrustning

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 50 mm

Teknisk ritning finns: Ja

Utloppstyp: BSP MALE

Utloppsventil: Ja

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): galvanised steel



Dimensioner av tank

Cylinderhöjd: 970 mm

Höjd på fötter: 90 mm

Total höjd: 1.445 mm

Ytterdiameter: 1.080 mm

Tjocklek på tank

Botten: 1,50 mm

Cylinder: 1,50 mm

Topp: 1,50 mm

Mer

Isolerad: Nej

Vikt: 150