

## 995 liter tank i Rostfritt 304



**45 000 SEK /st exkl moms**

item available on order

**Article type:** brand new palletized transporttank (for ADR) - type IBC-PL0

**Additional information:** The standardised PLO IBC containers which we offer from our stock are not applicable for food use!

**Volumetric volume (L):** 995 L

**Max. density P (kg/m<sup>3</sup>):** 1.900

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,49 Bar

**Min. pressure (Bar):** 0,02 Bar  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical  
**Configuration:** single-skin

**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** yes  
**Top type:** dished  
**Shape of tank:** conical

**Bottom type:** flat sloping  
**Total discharge:** yes  
**Fixation points:** 4 stackable frame  
**Manway(s):** RVS 304  
**Gasket manway(s):** EPDM

**Fixation point(s):** galvanised steel  
**Suitable for food industry:** yes  
**Documents included:** yes, optional  
**Technical drawing included:** yes  
**Registration plate on the tank:** yes

**Flange for agitator:** no  
**Number of manways:** 1  
**Position of manway:** at the top  
**Height manhole 1 (mm):** 400 mm  
**Hinged lid:** yes

**CIP spray ball:** no  
**Tank outlet:** inside Ø 50 mm  
**Outlet type:** BSP MALE  
**Total outlet valve:** yes  
**Agitator:** no, optional

**Top:** 1,50 mm  
**Cylinder:** 1,50 mm  
**Bottom:** 1,50 mm  
**Outer diameter tank:** 1.080 mm

**Cylinder height:** 970 mm

**Height of top:** 175 mm

**Height of bottom:** 240 mm

**Feet height:** 90 mm

**Total height of tank:** 1.445 mm

**Total outer width:** 1.121 mm

**Total outer length:** 1.121 mm

**Empty weight tank:** 150

**SKU:** 43007

Mer information

## Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Maximal densitet för produkten: 1900

Mobil tank: Ja

Övrig information: The standardised PLO IBC containers which we offer from our stock are not applicable for food use!

Omrörare: Nej

Övertryck: 0,49 Bar

Tankens form: conical

Total urtappning: Ja

Typ av botten: flat sloping

Undertryck (vakuum): 0,02 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 995

## Utrustning

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 50 mm

Teknisk ritning finns: Ja

Utloppstyp: BSP MALE

Utloppsventil: Ja

## Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): galvanised steel



## Dimensioner av tank

Cylinderhöjd: 970 mm

Höjd på fötter: 90 mm

Total höjd: 1.445 mm

Ytterdiameter: 1.080 mm

## Tjocklek på tank

Botten: 1,50 mm

Cylinder: 1,50 mm

Topp: 1,50 mm

## Mer

Isolerad: Nej

Vikt: 150