

9959 liter tank i Rostfritt 304



213,000,00 kr /st exkl moms

Article type: second-hand pressure tank

Additional information: Holvrieka pressure tank in very good condition.

Volumetric volume (L): 9.959 L

Ra inner weld: 0,80

Finish stainless steel: 2B

Pressure in tank: pressure

Design pressure (Bar): 12 Bar

Max. pressure (Bar): 7,50 Bar

Min. pressure (Bar): 0,02 Bar

Max. temperature (°C): 95 °C

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 adjustable feet

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 440 mm

Outlet type: DIN11851

Agitator: no, optional

Distance from outlet to ground: 670 mm

Outer diameter tank: 2.340 mm

Cylinder height: 1.750 mm

Total height of tank: 4.950 mm

Empty weight tank: 1.200

SKU: 568124

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Designtryck för tanken: 12 Bar
Finish rostfritt stål: 2b
Konfiguration: single-skin
Max. arbetstemperatur: 95 °C
Mobil tank: Nej
Övrig information: Holvrieka pressure tank in very good condition.
Omrörare: Nej
Övertryck: 7,50 Bar
Ra innersvets: 0,80
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: dishd
Undertryck (vakuum): 0,02 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304L (V2A)
Volym i liter: 9959

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Teknisk ritning finns: Nej
Utloppstyp: DIN11851

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304



Dimensioner av tank

Cylinderhöjd: 1.750 mm
Mått utlopp till marken: 670 mm
Total höjd: 4.950 mm
Ytterdiameter: 2.340 mm

Mer

Isolerad: Nej
Vikt: 1.200