

Centrifug Krauss Maffei peeling HZ 80/1.0



1 674 000 SEK /st exkl moms

Additional information: The horizontally arranged rotor is mounted on overhung bearings. The housing door can be fully opened for maintenance purposes and provides free access to the bowl and all process components. With optional frequency inverters and customized controls and instruments, the peeler centrifuge can be optimally adapted to a wide range of processing requirements to achieve the best possible

performance.

Complete documentation available

Volumetric volume (L): 83 L

Pressure in tank: ATM - atmosferic

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Total height of tank: 2.600 mm

Total outer width: 3.500 mm

Total outer length: 4.300 mm

SKU: 304170

Mer information

Beskrivning av produkt

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: The horizontally arranged rotor is suspended. For maintenance purposes, the housing door can be fully opened and provides free access to the drum and all process components. With optional frequency

Övrig information2: converters and customized controls and instruments, the peeler centrifuge can be optimally adapted to a variety of processing requirements to achieve the best possible performance.

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Volym i liter: 83

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Dimensioner av tank

Total höjd: 2.600 mm

Mer

Isolerad: Nej