

## 1830 liter tank i Syrafast 316



**118 000 SEK /st exkl moms**

**Additional information:** Pharmaceutical chemistry; Diameter handhole 200 mm

**Volumetric volume (L):** 1.830 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 4 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 4 Bar

**Max onderdruk:** 1 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN100

**Agitator:** yes

**Number of revolutions:** 444

**Power:** 0,75

**Internal diameter tank:** 1.190 mm

**Cylinder height:** 1.270 mm

**Total height of tank:** 2.600 mm

**Empty weight tank:** 600

**SKU:** 281185

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; Diameter handhole 200 mm; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 4 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1830

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Cylinderhöjd: 1.270 mm

Invändig diameter: 1.190 mm

Total höjd: 2.600 mm

**Omrörare**

Kraft (kW): 0,75

Varvtal: 444

**Mer**

Isolerad: Nej

Vikt: 600