

## 865 liter tank i Syrafast 316



## 56,000,00 kr /st exkl moms

**Additional information:** Pharmaceutical chemistry; Standard drawing available; 2 support brackets, stainless steel; 1 hand hole DN 250 in the upper bottom (hand hole cover mostly missing)

**Volumetric volume (L):** 865 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 2 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 2 Bar

**Max onderdruk:** 1 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN50

**Top:** 6 mm

**Cylinder:** 5 mm

**Bottom:** 5 mm

**Internal diameter tank:** 1.000 mm

**Cylinder height:** 810 mm

**Total height of tank:** 1.400 mm

**SKU:** 282166

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; Standard drawing available; 2 support brackets, stainless steel; 1 hand hole DN 250 in the upper bottom (hand hole cover mostly missing)

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 865

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 810 mm

Invändig diameter: 1.000 mm

Total höjd: 1.400 mm

## Tjocklek på tank

Botten: 5 mm

Cylinder: 5 mm

Topp: 6 mm

## Mer

Isolerad: Nej