

1200 liter tank i Syrafast 316



73,000,00 kr /st exkl moms

Additional information: food (egg yolk); Test pressure of the tank: +1,5 bar

Volumetric volume (L): 1.200 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 90 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN65 DIN 11851

Agitator: yes

Number of revolutions: 2.900

Power: 5,50

Internal diameter tank: 1.320 mm

Total height of tank: 2.100 mm

Empty weight tank: 520

SKU: 285235

Mer information

Beskrivning av produkt

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 90 °C

Mobil tank: Nej

Övrig information: food (egg yolk); Test pressure of the tank: +1,5 bar; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Volym i liter: 1200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Dimensioner av tank

Invändig diameter: 1.320 mm

Total höjd: 2.100 mm

Omrörare

Kraft (kW): 5,50

Varvtal: 2.900

Mer

Isolerad: Nej

Vikt: 520