

1100 liter tank i Syrafast 316



32 000 SEK /st exkl moms

Additional information: pharma; Stand frame, stainless steel 304; manhole diameter approx. 250mm; immersion tube

Volumetric volume (L): 1.100 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Internal diameter tank: 1.194 mm

Outer diameter tank: 1.200 mm

Cylinder height: 640 mm

Total height of tank: 1.478 mm

Empty weight tank: 250

SKU: 439640

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: pharma; Floor frame, V2A; manhole diameter approx. 250mm; immersion tube

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Nej

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 640 mm

Invändig diameter: 1.194 mm

Total höjd: 1.478 mm

Ytterdiameter: 1.200 mm

Mer

Isolerad: Nej

Vikt: 250