

118000 liter tank i Syrafast 316



357 000 SEK /st exkl moms

Volumetric volume (L): 118.000 L

Pressure in tank: vacuum

Max. pressure (Bar): 0,99 Bar

Min. pressure (Bar): 0,25 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Agitator: yes

Internal diameter tank: 4.410 mm

Outer diameter tank: 4.700 mm

Cylinder height: 6.500 mm

Total height of tank: 10.860 mm

SKU: 282226

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure and vacuum
Konfiguration: insulated
Mobil tank: Nej
Övrig information: we can't give any guarantees about the agitator
Omrörare: Ja
Övertryck: 0,99 Bar
Total urtappning: Ja
Undertryck (vakuum): 0,25 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 118000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 6.500 mm
Invändig diameter: 4.410 mm
Total höjd: 10.860 mm
Ytterdiameter: 4.700 mm

Mer

Isolerad: Ja
