

EWGD18059V



133 000 SEK /st exkl moms

Additional information: Material in contact w/ medium in the upper bottom: 2.4602 (Hastelloy; remaining measurements are still pending); 3 legs bolted to a stainless steel 304 frame; handhole cover is missing

Volumetric volume (L): 162 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 120 °C

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 48 L

Max Overpressure: 3 Bar

Max onderdruk: 1 Bar

Max. working temperature: 120 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 323

Power: 0,55

SKU: 737767

Mer information



Beskrivning av produkt

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: insulated

Max. arbetstemperatur: 120 °C

Mobil tank: Nej

Övrig information: Material in contact w/ medium is presumably 2.4602 (Hastelloy; measurement has so far only been possible in the upper bottom); 3 legs bolted to a stainless steel 304 frame; handhole cover is

Övrig information2: missing; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Volym i liter: 162

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Omrörare

Kraft (kW): 0,55

Varvtal: 323

Mer

Isolerad: Ja