

## 8020 liter tank i Rostfritt 304



**249 000 SEK /st exkl moms**

**Additional information:** beer; Manhole (340x440mm) available in the front bottom; the saddles are used for mounting on a chassis (steel, galvanised); the tank is used to transport beer; sold including beer hose and carbon dioxide supply; the specified dimensions refer to the tank only (hose and carbon dioxide supply excluded);

**Volumetric volume (L):** 8.020 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 3 Bar

**Max. temperature (°C):** 50 °C

**Model:** horizontal

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 3 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** DN40 DIN 11851

**Cylinder:** 2,50 mm

**Bottom:** 4 mm

**Internal diameter tank:** 1.595 mm

**Total height of tank:** 2.039 mm

**Total outer width:** 1.920 mm

**Total outer length:** 4.830 mm

**SKU:** 443288

Mer information

## Beskrivning av produkt

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: beer; Manhole (340x440mm) available in the front bottom; the saddles are used for mounting on a chassis (steel, galvanised); the tank is used to transport beer; sold including beer hose and carbon

Övrig information2: dioxide supply; the specified dimensions refer to the tank only (hose and carbon dioxide supply excluded);

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Volym i liter: 8020

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Dimensioner av tank

Invändig diameter: 1.595 mm

Total höjd: 2.039 mm

## Tjocklek på tank

Botten: 4 mm

Cylinder: 2,50 mm

**Mer**

Isolerad: Ja

---